

KOSTUM

Tailors your exterior

GATES | FENCES | PERGOLAS | CARPORTS



Bespoke manufacturing



Summary

9



Natural woods

10



Cosy Collection

40




Trady Collection

Welcome —————	4	Céklo Collection —————	54
Colours —————	7	Gates & Fences composition —————	60
Wood tone —————	8	Pergolas & Carports ———	69
Natural woods —————	9	Decorative exterior ———	74
Cosy Collection —————	10	Entrance porch —————	76
Archy Collection —————	23	Kitchen —————	78
Fresk Collection —————	32	Index —————	81
Trady Collection —————	40		
Round the corner gates —	49		

Welcome to the Maison Cadiou

50 YEARS OF FRENCH EXPERTISE AND BESPOKE MANUFACTURING

Maison Cadiou is nestled in the village of Locronan (Brittany, France), between land and sea. Here 750 women & men design and craft bespoke gates, fences, pergolas and carports every day, tailored to your environment. Combining tradition and innovation, the entire Maison Cadiou team is committed to creating sustainable and attractive solutions, using traditional handcrafted manufacturing methods. The aim is to design products that are durable, beautiful and in harmony with your home. We are driven by commitment, courtesy and a desire to do a good job. These values are ingrained in our DNA. We draw strength from our Breton roots and use it to offer you a complete product range to sustainably enhance your outdoor living space.





RESEARCH AND DEVELOPMENT

A CULTURE OF CONTINUOUS INNOVATION



RESEARCH & DESIGN UNIT

CUSTOMISE AND STUDY EACH PROJECT



SUSTAINABILITY STRATEGY

A COMMITMENT TO SOCIETY AND THE ENVIRONMENT



750 EMPLOYEES

FOCUSED ON YOUR SATISFACTION



AFTER-SALES SERVICE

HOTLINE, WITH 7 TECHNICIANS LOCATED THROUGHOUT FRANCE



CUSTOMER SERVICE

PRODUCT LEAD PROCESSING AND PRODUCT FOLLOW-UP



40 TRUCKS

CAREFUL AND INTEGRATED DELIVERIES





25 colours at no extra cost




CLASS 2
LACQUERING

25 BEST-SELLING COLOURS

We offer an exclusive selection of 25 exceptional colours, offered at no additional charge throughout our collections with the exception of wood tones and the Céкло range. From bold and vibrant to soft and soothing or timeless classics, there's something to suit every taste. You're bound to discover the perfect shade for your project.



For a truly distinctive look, why not try two-tone?



THE COATING

CLASS 2

The approved 'superdurable' quality powder (class 2) is a high-durability coating powder. This coating reduces gloss loss by 30% compared to the initial value and minimises colour change over time. The binders and pigments used in class 2 products are at least three times more stable to UV and weathering than the standard class 1 quality.



Wood-tone aluminium colours

5 COLOURS AVAILABLE



BIRCH WOOD



IRISH OAK



GOLDEN OAK



DARK TEAK



CHARRED WOOD

HOW ARE WOOD COLOURS ACHIEVED?

SUBLIMATION: DECORAL PROCESS

Wood effect sublimation on aluminium is a technique for transferring decorative patterns onto aluminium profiles. It works as follows:

Pre-treatment: the aluminium is cleaned and protected to make it resistant to corrosion and weathering.

Powder coating: a powder coating is applied and cured in an oven

Decoration: the profile is wrapped in a transfer film with the pattern (e.g. Irish oak). The profile is placed in a vacuum and heated, causing the ink to transfer onto the profile, after which the film is removed.



 **Decoral® System**



Our Natural Woods

TO WARM UP YOUR OUTDOOR SPACE


accoya 



RED CEDAR
5-YEAR WARRANTY



ACCOYA
30-YEAR WARRANTY

	Red Cedar	Accoya
Warranty	5	30
Care	✓✓	✓✓✓
Durability	✓✓	✓✓✓





COSY
COLLECTION

Cosy

collection



A BESPOKE PREMIUM CONTEMPORARY COLLECTION, TAILORED TO YOUR ENVIRONMENT. SLIDING UP TO 6M WIDTH, SWING UP TO 5M WIDTH.





1



Focus on openwork slats



2



3



4



THE 3D GATE



5



THE 3D GATE

1-RAZ: 2-panel Telescopic sliding gate, 90 mm slats - Multo posts 180x180 with blinker - Letterbox in gate colour matching fence - Anthracite grey 7016. **2-KLOAREC:** Swing gate, 25 mm tubes - Textured black N2100. **3-DAZON:** Swing gate, 90 mm slats and Multo posts 180x180 with laser cut design - Textured black N2100. **4-SPAS:** Sliding openwork gate - Combination of 90, 160 and 25 mm openwork slats - Textured black N2100. **5-CÉLINA:** Swing gate - Combination of 90, 160 and 25 mm openwork slats - Multo post on invisible baseplates 180x180 - Integrated letterbox powder coated in the same colour as the gate - Anthracite grey 7016.




THE 3D GATE



1



2



Focus on louvred slats



THE 3D GATE



3



4

1-STROLAD: Sliding gate - 75 & 130mm louvred slats - Central reinforcement mullion - Deep black 9005 - Multo posts 180x180 mm on concealed base plates with integrated LEDs – Entrance plate. **2-YEC:** Swing gate - Unequal leaves, Vertical louvred slats 130 mm - Multo post on invisible baseplates 100x100 - Pebble grey 7045. **3-LITENN:** Pedestrian gate - 130 mm louvred slats - Multo post on invisible baseplates 180x180 - Anthracite grey 7016. **4-LITENN:** Sliding gate - 130 mm openwork and fully boarded slats - Anthracite grey 7016 frame - Irish oak.



1



2



3



4



THE 3D GATE

1-ARGOAT: Sliding gate - 90 mm openwork and fully boarded slats - Anthracite grey 7016. **2-ENEZ:** Swing gate - 90 mm openwork and fully boarded slats - Golden oak. **3-MADINA:** Sliding gate with fully boarded slats 150 with 25 vertical openwork slats inserted - Laser-cut LED number sign post - White 9016. **4-ARGOAT:** Swing gate - 90 mm openwork and fully boarded slats - Light grey 7035.



THE 3D GATE



THE 3D GATE

1-MENEZ: Swing gate - 90 mm fully boarded slats - Deep black 9005. **2-MENEZ:** Pedestrian gate - 90 mm fully boarded slats - Light grey 7035. **3-KARANA:** Swing gate - 300 mm fully boarded slats - Multo post on invisible baseplates 180x180 - Pebble grey 7045. **4-KARANTAN:** Sliding gate - 300 mm fully boarded slats - Textured black N2100.



1-TREMEN: Swing gate - 90 mm fully boarded slats - Openwork fence HEOL - Deep black 9005. **2-KER:** Pedestrian gate - 90 mm fully boarded slats - Multo post 100x100 - Textured black N2100. **3-ANAE:** Pedestrian gate and fence - 150 mm fully boarded slats - Anthracite grey 7016. **4-ANAE:** Sliding gate with additional guiding post - 150 mm fully boarded slats - Anthracite grey 7016.

UNDERLINE THE CHARACTER OF YOUR ENTRANCE.



1



2



3

1-LINE300: Pedestrian gate with integrated letterbox totem - Anthracite grey 7016. **2-KUB300:** Pedestrian gate - 300 mm fully boarded slats - Anthracite grey 7016. **3-STAMM:** Swing gate - XXL 300 mm fully boarded slats, with a 15 mm aluminium between each slat - Anthracite grey 7016 slats - Stainless steel strip in Aluminium grey 9006.



1



2



3

1-KUB300: Sliding gate - 300 mm fully boarded slats - Deep black 9005 **2-LINE 300:** Sliding gate with TELLEN-KARANTAN fences - 300 mm fully boarded slats - Anthracite grey 7016. **3-ZEN:** BEL'M Design Cantilever sliding gate - Anthracite grey 7016.

Configure your project!

With our online configurator, you can design your custom gate and fence. Select the dimensions, installation type, colour and infill you want, then view your creation in real time. This intuitive tool guides you through each step and allows you to place your gate in front of a photo of your home.



lead.batitrade.com/kostum



THE 3D FENCE

AVAILABLE IN
VERTICAL SLATS



1



2

1-SPAS: Openwork fence, 90 mm, 160 mm slats, with 25 mm slats in Irish oak wood tone - Posts on 2-point base plates - Deep black 9005. **2-LOC:** Openwork fence 90 mm slats - Sealed posts - White 9016.



1-GAST: Openwork fences 90 mm slats - Posts on 2-point base plates - White 9016. **2-HEOL:** Openwork fence 90 mm - Sealed posts - White 9016.



THE 3D FENCE



1- TEV: Louvred fences XXL 255 mm slats - Sealed posts - Anthracite grey 7016. **2-STROLAD:** Louvred fence, 75 mm and 130 mm slats - Posts on 2-point base plates and half-start post - Deep black 9005.



THE 3D FENCE



1



THE 3D FENCE

2



3



4

1-BRIZ-ANAÉ: Fully boarded fence 150 mm slats - Anthracite grey 7016. **2- BRIZ-ANAÉ:** Fully boarded fence 150 mm slats - Beige grey 7006. **3-TELLEN-KARANTAN:** Fully boarded fence 300 mm slats - Anthracite grey 7016. **4- KARMEN-STELLA:** Fully boarded fence 90 mm slats - Anthracite grey 7016.



HALF-BOARDED FENCE
BRINGING THE OUTSIDE IN



1-KARMEN-STELLA: Fully boarded fence 90 mm slats - Sealed posts - White 9016. **2-ARGOAT:** Half-boarded fence, 90 mm openwork and fully boarded slats - Sealed posts - Textured black N2100.

Archy

collection



ARCHY
COLLECTION

A UNIQUE COLLECTION SHOWCASING
MINIMALIST ELEGANCE WITH A
REFINED INDUSTRIAL AESTHETIC.





1



THE 3D GATE



2 | Red Cedar wood

1- **AREN**: Pedestrian gate - Connected parcel box - Textured black N2100. 2- **ANIAN**: Red cedar wood swing gate - Wood battens 38x38 mm - Aluminium frame - Deep black 9005.



THE 3D GATE



1 | Accoya wood



2 | Aluminium in wood tones



3 | Aluminium in wood tones

1- ASMAR: Accoya wood sliding gate - 135 mm vertical fully boarded slats - Decorative aluminium sheet - Textured black N2100, Occulting White 9016 (optional) - Handle integrated into the slat - Karé posts 180x180 on invisible base plates with illuminated end caps (optional) - Textured black N2100. **2- THEOLENN:** Sliding gate - 90 mm Openwork slats - White 9016 - Aluminium in wood birch tone finish-effect (optional) **3- KERIEC:** Swing and pedestrian gate - Irish oak.



1 | Aluminium in wood tones



2 | Aluminium in wood tones



3 | Aluminium in wood tones

1- GANIT: Swing gate - 30x30 mm aluminium battens - Multo posts 180x180 on invisible base plates - Letterbox integrated into the fence and coated in the same colour as the posts - Aluminium in wood Irish oak tone finish (optional) **2- ABEL:** Swing gate and fencing panel - Parcel box module covered with battens - 30x30 mm coated battens in charred wood-tone finish on aluminium frame (optional) - Post covers for an invisible finish (optional) **3- KLOUM:** Sliding and pedestrian gate - Alternating slats 30x30 and 90x30 mm - Aluminium in wood Birch tone finish (optional).



THE 3D GATE



1 | Aluminium in wood tones



2 | Aluminium in wood tones

1- THIA: Swing gate - Aluminium fully boarded sheet White 9016 - 30x30 mm battens - Aluminium in wood birch tone finish (optional) - Stainless steel pull bar (optional). **2- PEPIA:** Sliding gate - Aluminium fully boarded sheet - White 9016 - 30x30 mm battens - Aluminium in wood-birch tone finish (optional) - Multo posts 180x180 on invisible base plates with light fitting (optional) - Fencing panel GANIT narrowly spaced slats option.



1- HOLEV: Sliding gate - Fencing panel KLAVEL - Deep black 9005. **2- HOLEV:** Swing gate - Stainless steel pull bar (optional) - Multo 180x180 posts on invisible baseplates with illuminated cap and laser-cut number (optional) - Letterbox - Earth brown 8028. **3- KENAN:** Sliding and self-supporting gate - Multo posts 180x180 on invisible base plates with illuminated end caps and laser-cut number - Fencing panel KLAVEL - Textured black N2100.



1



2



THE 3D GATE



3



THE 3D GATE

1- EDDA: Swing and pedestrian gate - Coated pull bar in the same colour as the gate (optional). - Umbra grey 7022. **2- KLAVEL:** Swing gate - Textured black N2100. **3- ESUS:** Swing gate with unequal leaves - Surface-mounted installation with Invisio **somfy** motor integrated in the uprights - Textured grey G2900.



1 | Red Cedar wood



2 | Aluminium in wood tones



3 | Aluminium in wood tones

1- ANIAN: Red Cedar wood battens 38x38 mm. **2- THEOLENN:** Openwork fence - 90 mm Vertical aluminium slats - Irish oak colour (optional) - Textured black N2100 frame. **3- GANIT:** Openwork fences with optional battens in wood tone.



1- CAROUAL: Fully boarded infill fence - 90 mm Vertical aluminium slats on the inside and outside - White 9016. **2- ABEL:** Fully boarded infill fence - 30x30 mm battens - Aluminium slats colours Irish oak (optional) - Textured black N2100 frame. **3- KLOUAR:** Fully boarded fence with battens in Red Cedar wood 38x38 mm, coated occulting sheet.



FRESK
COLLECTION

Fresk



collection

A BESPOKE CONTEMPORARY COLLECTION WITH REFINED DECORATIVE ELEMENTS, DESIGNED TO MIRROR THE CHARACTER OF YOUR OUTDOOR SPACE.



Design your gate and fence

① ALUMINIUM LASER-CUT DESIGN OR GLAZING*



See p.32


② THE LOCATION AND SCENERY



20 models
Vertical designs



4 models
Horizontal designs




7 models
100% sheet, no slats



Fence
decoration at the top or between two slats




Fence
vertical decoration between two posts



Fencing panel
horizontal or vertical designs




Fencing panel
100% sheet, no slats



Screen panel
Design or Fully boarded infill

③ THE TYPE OF INFILL SLATS*




Openwork
160 mm




Louvred
130 mm
additional cost



Louvred XL
255 mm
additional cost



Fully boarded
infill
150 mm



Fully boarded
infill XXL
300 mm
additional cost

Visualise your model in your home!

With our online configurator, you can design your custom gate and fence. Select the dimensions, installation type, colour and infill you want, then view your creation in real time. This intuitive tool guides you through each step and allows you to place your gate in front of a photo of your home.



lead.batitrade.com/kostum

*Glass decorations are not compatible with fences.



ALL OUR DESIGNS

Laser-cut design

ALL OUR STANDARD SHEETS: WIDTH 300 MM

DESIGNED BY CLAIRE BOTHEREL Kostum designer.




Amand



Aod



Framm



Borenn




Corole



Dana



Deil



Dimazi



Dudi



Ellez



Broceliande



Frez



Hava



Hugy



Jouen



Klotan



Kromm



Lambig



Leien



Mellan



Menhir



Nijad



Orchidee



Perlez



Picto



Ritenn




Saon



Sinema



Soran



Square



Troveni



Kerez



Ola



Warada



Baaka



Rubaa

Create your own design

Driven by passion and dedication, we support your creativity every step of the way. Kostum allows you to bring your personalised design to life, subject to production feasibility.





1



2

1. **CADO:** Swing gate - Vertical ELLEZ design, 130 louvred slats - Grey brown 8019. 2. **EWEN:** Swing gate - Vertical AMAND design, 255 louvred slats - Textured grey G2900.



1. METIG: Sliding gate - Horizontal CAMBIUM design - 160 mm openwork slats - Textured black N2100. **2. ONEN:** Sliding gate with vertical DUDI design - 150 fully boarded slats - Deep black 9005.



1



2

1. ELIAZ: Swing gate - Horizontal BRODIRI design - 150 mm fully boarded slats - White 9016. **2. ANAIG:** Openwork fences KLOTAN design - 160 openwork slats - Deep black N2100.



1



2



3

1. BRIZ-ANAÉ: Vertical LAMBIG design - 150 fully boarded slats - Grey brown 8019. **2. KLAUSTRA:** Screen panel with DANA design - Charred wood finish. **3. AELA:** Fencing panel with vertical RITENN design - Beige grey 7006.



1. LIZENN: Fence BROENN design - Fully boarded fence 150 mm slats - LED strip on posts - White 9016. **2. FLAMIG:** Fencing panel - ORCHIDÉ design - Deep Black 9005.



TRADY
COLLECTION


Trady

collection



AN AUTHENTIC COLLECTION DRAWING
INSPIRATION FROM TRADITIONAL
ORNAMENTAL IRONWORK.





SEE DECORATIVE
OPTIONS IN VIDEO

Decorative options

DETAILS REFINED WITH FINESSE

The aluminium gates in the Trady collection can be enhanced with decorative options for maximum customisation. These decorations can be added to the ends of the bars, at the top, above the gate, between the bars and on the bottom infill. Choose from gold or coated in the same colour as the gate for a classic and original finish!

① THE VOLUTES



V Volute



T Volute



U Volute



Z Volute



S Volute



C Volute



Y Volute

② DECORATIVE FINIALS



Spearhead



Pine cone
*Only on 50x50 mm posts
or uprights*



Pointed



Water drop



Lily flower



Sphere



Peaks

③ ROWS



Small volute
*Gate colour coating
required*



Small circle
*Gate colour coating
required*



Volute and circle
*Gate colour coating
required*



Sleeve
*Only on 19 mm tubes
Gate colour coating
required*

④ BOTTOM SECTIONS



Openwork
sleeve



Sleeve
With cut-out and half-round



Sleeve
Fully boarded
infill



Rosette



Daisy



Corner
decoration



1- LIGNOL : Pedestrian gate - Gold points (optional) - Deep black 9005. **2- HUELGOAT :** Swing gate - Sphere - Gendarme hat shape - Multo post on baseplates 180x180 - Aluminium grey 9006. **3- HUELGOAT :** Pedestrian gate - Sphere - Multo post on baseplates 180x180 - Aluminium grey 9006. **4- PLUGUFFAN :** Swing gate - Saddle shape - Pedestrian gate LE JUCH - Deep black N2100.



1- MESPALU : Pedestrian gate and fence - Deep black 9005. **2- JOSSELIN :** Swing gate - Lily flower and round rosettes coated in the same colour as the gate (optional) - Gendarme hat shape - PONT-AVEN fence - Grège 9007. **3- BOHARS :** Swing gate - Round rosettes, volute, pine cone - Deep black 9005.



1- LOCQUIREC : Swing gate - Textured black N2100. **2-CORAY** : Swing gate with gold peaks and daisy motif, featuring a gendarme hat shape - Deep black 9005.



1



2

1- GUENILY : Pedestrian gate 1500x1000 - Deep black 9005 **2- BRIEC** : Swing gate - Lily flower and round rosettes coated in the same colour as the gate (optional) - Anthracite grey 7016.



THE 3D GATE

1- QUIMPER & CORAY : QUIMPER pedestrian curved top gate - CORAY pedestrian inverted gendarme's hat shape gate - Deep black 9005. **2- POUILLAN :** Swing and pedestrian gate - Invisio **somfy** motor integrated into the uprights - Spikes, round circles and rosettes coated in the same colour as the gate (optional) - Curved top shape - Deep black 9005. **3- LOCRONAN :** Swing gate - Gendarme hat shape - Lily flowers coated in the same colour as the gate (optional). **4- PONT-AVEN :** Sliding gate - PONT-AVEN fence - Anthracite grey 7016.



1- MESPAUL : Openwork fence - Golden spearheads - Textured black N2100. **2- MONCONTOUR :** Openwork fence with coated sphere in the colour of the fence - Posts on baseplates 2-points - Pebble grey 7045. **3- DUNE :** Openwork fence - Anthracite grey 7016. **4- BAZH :** Openwork fence - Deep black 9005



1



3



2




4

1- PONT-AVEN : Fully-boarded fence - Pointed coated in the same colour as the gate - Deep black 9005. **2 - PONT-AVEN :** Pedestrian gate and fully-boarded fence with small circle & water drops (optional) - Deep black 9005. **3 - PONT-AVEN :** Fully-boarded fence with small circles & sphere (optional) - Deep Black 9005. **4 - LANMEUR :** PONT-AVEN pedestrian gate with backing sheet - B-MAG magnetic lock - Intelligent gate motor : VENUX LOCINOX and LANMEUR fence - Deep black 9005.

Round the corner gates

collection



PERFECT FOR CITY DWELLERS.





The aluminium round-the-corner gate is the ideal solution: It makes life easier for installers working in confined areas. No more struggling with insufficient return widths or driveways that are too short! Its appeal is further enhanced by its two possible configurations: small and large spandrels (see image).



1 & 2- PONT-AVEN : Swing round the corner gate - Small spandrel - Deep black 9005.



1 & 2- LE JUCH: Swing round the corner gate - Small spandrel - Deep black 9005.

ROUND THE CORNER GATE

- Suitable for small spaces
- 90° sliding clearance inside the property: allows for a reduced corner space
- Integrated anti-lifting system
- Gate suitable for automation



Learn more about the corner gate



THE 3D GATE

1 & 2- ANIAN: Round the corner gate - Red cedar - Wood battens 38x38 mm - Aluminium frame Deep black 9005.



1 & 2- KLAVEL: Round the corner gate - Large spandrel - Anthracite grey 7016. **3 & 4- KLAVEL :** Swing round the corner gate - Small spandrel - Anthracite grey 7016.

Céklo

collection




A SIMPLIFIED YET STYLISH COLLECTION,
THOUGHTFULLY CRAFTED TO BE
BUDGET-FRIENDLY. SPANS UP TO 4.5
METRES WIDE.




What distinguishes Ceklo's collection from Cosy?

	Colours	No. of models	Warranty	Finishes	Max. swing width	Max. sliding width
CÉKLO	8 colours	39 models	20 years of manufacturing and lacquering	Standards p.52	Max. width : 4 m Max. height : 1.75 m	Max. width : 4.5 m Max. height : 2 m
COSY	over 300 colours	over 300 models	30 years of manufacturing and lacquering	Premium p.46	Max. width : 5 m Max. height : 2.25 m	Max. width : 6 m Max. height : 2.25 m


8 COLOURS TO CHOOSE FROM



9 LASER-CUT DESIGNS TO CHOOSE FROM



2 ALUNOX DESIGNS





1



2



3

1- BOSCO : Matching sliding gate - Laser cut number and backing sheet - Anthracite grey 7016. **2- PASEO** : Matching sliding gate and fence - 200 mm louvred slats - Multo post on invisible baseplates 180x180 - Laser cut number - Quartz grey 7039. **3- PATIO** : Matching swing gate and fence - 100 mm louvred slats - Multo post on invisible baseplates 180x180 - Anthracite grey 7016.



1



2

1- CAMPO : Swing gate - 150 mm fully boarded and 100 mm openwork slats - Multo post on invisible baseplates 180x180 - Laser cut number and backing sheet - Textured black N2100. **2- CREDO** : Swing gate - 150 mm openwork slats - Multo post on invisible baseplates 180x180 - Bravo Fence - Deep black 9005.



1



2



3

1- BRAVO : Matching swing gate and fence - 150 mm fully boarded slats - Multo post on invisible baseplates 180x180 - Laser cut number and backing sheet - Anthracite grey 7016. **2- CENCO** : Matching swing gate and fence - 300 mm fully boarded slats - Anthracite grey 7016. **3- DJELO 300** : Swing gate - 300 mm fully boarded slats - Alunox design - Black 9005.



1



2



3



4



5

1- BRAVO : Fully boarded 150 mm slats - Sealed posts - Gris quartz 7039. **2- CENCO** : 300 mm fully boarded slats - Posts on 2-point base plates - Anthracite grey 7016. **3- PASEO** : Louvred fences 200 mm slats - Posts on 2-point base plates - Quartz grey 7039. **4- PATIO** : Louvred fences 100 mm slats - Anthracite grey 7016. **5- BOSCO** : Openwork fences 100 mm slats - Sealed posts - Anthracite grey 7016

Swing gate composition*

**1**

Central inner and outer bead with aluminium finishing cap

**2**

Top hinge with stainless steel axis Ø16 mm powder coated in the same colour as the gate with privacy slats powder coated in the same colour as the gate.

**3**

New Kostum handle powder coated in the same colour as the gate with Kostum ring.

**4**

Black aluminium central ground stop signed Kostum.

Black compensation shim, thickness 100 (optional).

*Excluding Céklo range



DOUBLE CENTRAL INNER & OUTER PROFILE*

It hides the daylight between the two leaves. Once the gate is closed, it provides a flawless finish for a gate without a lock.



DROPBOLT LOCK

The dropbolt lock allows manual unlocking with a key. Depending on your site layout, this lock can eliminate the need for a central stop.



SUPPORT BAR

Placed inside the property, it will ensure perfect stability even in strong winds. (On manual swing gates only).



SIDE HINGES

They allow you to have a gate that is perfectly aligned with the height of your pillars. (To be installed according to the configuration of your project - optional for swing gates.)



180° OPENING

This opening kit allows you to open each leaves completely to 180°. (To be installed when you need to widen the passage width for a vehicle - optional for gate opening.)



GROUND STOP*

For greater durability, the ground stop of Kostum gates are made of aluminium. Manual gates are equipped with a stainless steel selector switch.



**ANTI-LIFT SYSTEM
YOUR SECURITY ADVANTAGE**

Anti-lift devices are an essential safety feature for swing gates, designed to prevent the hinges from being lifted or removed by intruders. High hinges, fixed at a strategic height, make access to the hinges difficult, thereby enhancing security.

Kostum high and low hinges are fully enclosed in aluminium, with a concealed profile and coated in the same colour as the gate.



*Not available on Céklo Collection

Sliding gate composition*

**1**

Roller guiding device, covered, anti-lifting system:
L.136 x D.175 x H.144 mm
Guide profile

**2**

Receiving profile with finishing cap.
Stainless steel latch if lock:
L.94.3 x D.65.5 mm
Mounting bracket with cover

**3**

Wheel and floor track in stainless steel

**4**

95x49 mm rack extension with end cap
Automation rack (optional)

**5**

Ground stop

*Excluding Céklo range



ROLLER GUIDING DEVICE*

The guide carriage, which ensures smooth movement of the sliding gate, is made of powder-coated aluminium to match the gate's colour. It includes an anti-lift system for added safety.



CLOSING RECEIVING PROFILE*

This profile conceals the gap between the pillar and the gate while ensuring that the gate remains perfectly secure when closed. It incorporates an anti-lift system for added security.



STAINLESS STEEL TRACK AND WHEELS*

Extremely stressed on sliding doors, the track and wheels are available in stainless steel as standard on all models.



POWDER-COATED RACK COVER, COLOUR-MATCHED TO THE GATE

Made of coated aluminium, the automation rack cover reinforces and protects the rack. It is height-adjustable and provides a perfect finish.



GUIDE POST*

To be sealed or on baseplate, it replaces the roller guiding device on curved models. (For large dimensions, we recommend installing an additional guide post for complete peace of mind in windy conditions.)



ANTI-LIFT SYSTEM YOUR SECURITY ADVANTAGE

The anti-lift system is an essential safety feature for sliding gates. It reinforces the gate's resistance by preventing it from being lifted or removed from its track during an attempted break-in.

The roller guiding device and the receiving profile are equipped with a shell that surrounds the roller and the track, preventing the gate from coming out of its position. It is therefore an essential element to consider when enhancing the security of your sliding gate.



*Not available on Céklo Collection

The different sliding gates



THE CANTILEVER SLIDING GATE*

- Adapts to environmental constraints: stones, leaves, snow, uneven ground
- Supported by two brackets fixed to the ground
- No floor track or threshold required, preserving the existing surface
- Requires less brickwork
- Integrated anti-lifting system
- Gate suitable for automation



OPPOSING SLIDING GATE*

- Suitable for small clearance areas
- Manufactured in two separate parts, sliding to each side
- Reduced sliding clearance thanks to distribution on each side
- Integrated anti-lifting system
- Gate suitable for automation: requires installation of two synchronised motors for sliding gates



THE TELESCOPIC SLIDING GATE*

- Suitable for confined spaces (housing developments)
- Manufactured in two or three separate parts sliding on one side only
- Sliding clearance approximately halved
- Integrated anti-lifting system
- Gate suitable for automation




THE LOW SLOPE MANUFACTURING SLIDING GATE**

- Suitable for sloped entrances
- Admissible slope up to 12% for sliding gates with rack extension
- Permissible slope up to 9% for sliding gates with straight top crossbar
- Width up to 5500 mm and height up to 1500 mm
- Gate suitable for automation with BFT ARES 1000 motor

*Option available only on straight models. Not available on the Céklo range.

**Option available only on the Archy Collection with vertical battens and sheets and the Trady Collection with straight battens.

Céklo swing gate composition



Mortise and tenon joint



1 Angled latch and central cover strip



2 Handle powder coated in the colour of the gate.
Cylinder 30x30 mm
Flush mounted lock with 3 keys



3 Top hinge, hinge cover, powder coated in the same colour as the gate
Side occultating joint



4 Bottom bracket hinge in galvanized steel



5 2 positions for automation reinforcement :
Surface-mounted motor fixing piece adaptable for fully boarded models
Bottom or intermediate crossbar for openwork and louvred models



6 Polyamide ground stop + Compensation shim

Céklo sliding gate composition



1
Roller guiding device covered in aluminium powder coated in the same colour as the gate



2
Top and bottom rack extensions
95x50 mm



3
Galvanized steel wheel



4
Threshold stop



1
Receiving piece with aluminium cover powder coated in the same colour as the gate




2
Sliding gate end catch with lock



3
Sliding gate end catch without lock
Shock absorber stop

Fence composition*



1 Semi post



2 Lino:
2 start posts



3 Lino
Multi-directions post



4 Exo
Variable-angles post

MOUNTING OPTIONS





SEMI POST

DEMI

The Demi semi post is ideal for finishing fences that start or end against a wall or pillar.



STEPPED FENCE

FOR STEPPED FENCES

The stepped fence combines functionality and aesthetics thanks to its meticulous manufacturing and installation.



VARIABLE-ANGLES

EXO POST

Our R&D teams have designed a multi-angle post that suits all types of fence installation requirements



MULTI-DIRECTIONS

LINO POST

Whether used as a starting post, an intermediate support, or a finishing element, this post can also handle 90° angles.



ANTI-THEFT SYSTEM

FOR SLATES

Compatible with all slats, this anti-theft system is screwed into the post on either side of the top slat. It cannot be accessed from outside the property (optional feature).



BASEPLATE COVER

FOR ALL POSTS

Compatible with every baseplate for a perfect finish (optional).



2 HOLE BASEPLATE

FOR LINO POST

It can be fitted to fences with a maximum height of 1300 mm.



3 HOLE BASEPLATE

FOR EXO POST

It can be fitted to fences with a maximum height of 1300 mm.




4 HOLE BASEPLATE

FOR LINO POST


More resistant, it can be fitted to fences with a maximum height of 1800 mm.

Pergolas & carports

collection



PERGOLAS
COLLECTION



CARPORTS
COLLECTION



ENJOY A NEW OUTDOOR LIVING AREA AND
KEEP YOUR VEHICLES SAFE FROM THE
ELEMENTS.





PERGOLA IN 3D



1



2



3



4

1- LILY : Wall-mounted installation on 150 mm posts - Birch wood adjustable louvers slats - Deep black structure 9005. **2- LILY :** Wall-mounted installation on 150 mm posts - Deep black structure 9005 - Fully boarded white roof 9010. **3- LILY :** Cantilever installation on 150 mm posts - 160 openwork slats - Birch wood adjustable louvers slats - Store zip black 9005. **4- LILY :** Wall-mounted installation ENVOL design - Quartz grey 7039.



PERGOLA IN 3D



PERGOLA IN 3D



PERGOLA IN 3D

1- POPPY : Wall-mounted installation on 220 mm posts - Textured white frame 9016 - Fully boarded white roof 9010 - Design cladding PÉPITES (optional). **2- POPPY** : Wall-mounted installation on 220 mm posts - Dark textured black structure 9005 - Fully boarded roof White 9010 - Integrated Charcoal store zip (optional). **3- POPPY** : Cantilever installation on 220 mm posts - Fully boarded roof White 9010 - Cladding with fully boarded 150mm slats - Grey brown 8019 (optional) Integrated zip screen in Charcoal bronze (optional). **4- POPPY** : Wall-mounted installation on 220 mm posts - Textured black N2100 structure - Fully boarded white roof 9010 - CAMBIUM design (optional).




1- TREVOR CARPORT : Cantilever installation on 150 mm posts - Structure White 9016 - Fully boarded roof White 9016. **2- TREVOR CARPORT CAMPING-CAR** : Wall-mounted installation on 150 mm posts - Structure textured anthracite grey 7016 - Fully boarded roof White 9010. **3- TREVOR CARPORT WITH OFFSET POST** : Wall-mounted installation on 150 mm posts - Structure textured anthracite grey 7016 - Fully boarded roof White 9010 - Green-up socket (optional). **4- TREVOR CARPORT** : Cantilever installation on 150 mm posts - Textured beige grey structure 7006 - Fully boarded roof White 9010.



1- CONOR DOUBLE CARPORT : Wall-mounted installation on 220 mm posts - Textured beige grey structure 7006 - Fully boarded roof White 9010. **2- IVOR CARPORT :** Cantliver installation on 135 mm posts - Fully boarded roof White 9010 - 20-year warranty - Textured anthracite grey structure 7016. **3- CONOR DOUBLE CARPORT :** Cantliver installation on 220 mm posts - Deep black structure 9005 - Fully boarded roof White 9010. **4- IVOR CARPORT :** Cantliver installation on 135 mm posts - MAEZ fence integrated between posts - Fully boarded roof White 9010 - 20-year warranty - Textured anthracite grey structure 7016.

Decorative exterior collection



INSPIRING IDEAS FOR THE HOME MADE FOR LIVING.





1- LOUZA, PLANTER CLADDING : PÉPITE Design - Deep black 9005. **2- BAILH, BIN CLADDING :** 150 mm fully boarded slats - Textured black N2100. **3- LIORZH, AIR CONDITIONER CLADDING :** BRODIRI design - Textured grey G2900.



ENTRANCE PORCH
COLLECTION

— Entrance porch collection



INSPIRING IDEAS FOR A GARDEN
MADE FOR LIVING.





ENTRANCE PORCH IN 3D



1



2



3



4

1- Irish oak coloured roof battens - 3 textured black posts - Mixed fully boarded plain sheet and Irish oak-coloured slats - Bench, coat hook, street number, LED (optional). 2- Interior & exterior: aluminium battens - Greige 9007. 3 & 4- Irish oak coloured roof battens - 3 textured black N2100 posts - Exterior infill panel: ELLEZ design - Bench, coat hook, LED (optional)



OUTDOOR KITCHEN
COLLECTION

Outdoor kitchens

collection

MODULAR KITCHENS DESIGNED FOR
YOUR MOST DELICIOUS MOMENTS.





THE OUTDOOR KITCHEN IN 3D



1



2



3



4



5

1- Double and triple modules in grey - White worktop - Optional integrated sink and plancha grill. 2- Triple module in black - Black worktop - Optional sink and plancha grill. 3- Triple and double modules in Sage - Black worktop - Optional integrated sink and plancha grill - Optional console. 4- Double and triple modules in Terracotta - Black worktop - Optional integrated sink and plancha grill - Optional console. 5- Two double modules in White - White worktop - Optional integrated sink - Optional console.



Index

Abel Archy fence	31	Keriec Archy gate	25
Abel Archy gate	26	Klaustra Fresk fence	38
Aela Fresk fence	38	Klavel Archy fence	28
Anae Cosy gate	15	Klavel Archy gate	29, 53
Anaig Fresk fence	37	Klouar Archy fence	31
Anian Archy fence	30	Kloum Archy gate	26
Anian Archy gate	24, 52	Kloarec Cosy gate	11
Argoat Cosy fence	22	Kub300 Cosy gate	16, 17
Argoat Cosy gate	13	Lanmeur Trady fence	48
Arenn Archy gate	24	Le Juch Trady gate	42, 51
Asmar Archy gate	25	Lignol Trady gate	42
Bailh Bin cladding	75	Lily Pergolas	70
Bazh Trady fence	47	Line 300 Cosy gate	16, 17
Bohars Trady gate	43	Litenn Cosy gate	12
Bosco Céklo fence	59	Liorzh Air conditioner cladding	75
Bosco Céklo gate	56	Lizenn Fresk fence	39
Bravo Céklo fence	57, 58, 59	Loc Cosy fence	18
Bravo Céklo gate	58	Locquirec Trady gate	44
Briec Trady gate	45	Locronan Trady gate	46
Briz-Anaé Cosy fence	21	Louza Planter cladding	75
Briz-Anaé Fresk fence	38	Madina Cosy gate	13
Cado Fresk gate	35	Menez Cosy gate	14
Campo Céklo gate	57	Mespaul Trady gate	43
Caroual Archy fence	31	Mespaul Trady fence	47
Céline Cosy gate	11	Metig Fresk gate	36
Cenco Céklo gate	58	Moncontour Trady fence	47
Cenco Céklo fence	58, 59	Onen Fresk gate	36
Conor Carports	73	Paseo Céklo fence	56, 59
Coray Trady gate	44, 46	Paseo Céklo gate	56
Credo Céklo gate	57	Patio Céklo gate	56
Dazon Cosy gate	11	Patio Céklo fence	56, 59
Djelo 300 Céklo gate	58	Pepia Archy gate	25
Dune Trady fence	47	Pluguffan Trady gate	42
Edda Archy gate	29	Pont-Aven Trady fence	48, 50
Eliaz Fresk gate	37	Pont-Aven Trady gate	46, 48
Enez Cosy gate	13	Poppy Pergolas	71
Esus Archy gate	29	Poullan Trady gate	46
Ewen Fresk gate	35	Quimper Trady gate	46
Flamig Fresk fence	39	Raz Cosy gate	11
Ivor Carports	73	Spas Cosy fence	18
Ganit Archy fence	30	Spas Cosy gate	11
Ganit Archy gate	26	Stamm Cosy gate	16
Gast Cosy fence	19	Strolad Cosy fence	20
Guenily Trady gate	45	Strolad Cosy gate	12
Heol Cosy fence	19	TeV Cosy fence	20
Holev Archy gate	28	Tellen-Karantan Cosy fence	17, 21
Huelgoat Trady gate	42	Theolenn Archy fence	30
Pluguffan Trady gate	42	Theolenn Archy gate	25
Josselin Trady gate	43	Thia Archy gate	27
Kanel Outdoor kitchen	79	Toenn Entrance porch	77
Karana Cosy gate	14	Trevor Carports	72
Karantan Cosy gate	14	Tremen Cosy gate	15
Karmen-Stella Cosy fence	21, 22	Yec Cosy gate	12
Kenan Archy gate	28	Zen Cosy gate	17
Ker Cosy gate	15		



KOSTUM

Tailors your exterior



This document is non-contractual. Printing cannot accurately reproduce RAL® colours. Pictures: Louise Garth, Erwan Planezza, Nicolas Mingam - 08/2025 - 2004352cc2024